RECEIVED CENTRAL FAX CENTER

NO. 5984 P. 4

OCT 0 5 2006

Application No. 10/523,284

Docket No.: 12810-00017-US

AMENDMENTS TO THE CLAIMS

The following listing of claims will replace all prior versions, and listings, of claims in the application:

- 1. (Currently Amended) A process for removal of the an esterification catalyst by separation from a crude plasticizer ester obtained by reacting a dicarboxylic acid with a C₈-C₁₃ alcohols alcohol, by treating the crude ester with an aqueous alkali solution in the range from 10 to 100°C and then separating the aqueous alkaline phase comprising the hydrolyzed esterification catalyst by gravitational phase separation, which comprises treating the crude ester with a salt of a divalent metal or mixtures thereof, prior to or during the phase separation, with a salt of a divalent metal, or with a mixture of these salts.
- 2. (Original) A process as claimed in claim 1, wherein the esterification catalyst used comprises a Lewis-acid compound of an element of the 4th main group or of the 4th transition group of the Periodic Table of the Elements.
- 3. (Previously presented) A process as claimed in claim 1, wherein the esterification catalyst used comprises a compound of titanium.
- 4. (Previously presented) A process as claimed in claim 1, wherein, prior to the gravitational phase separation, the crude ester has a content of from 0.1 to 5% by weight of monosalt of dicarboxylic half-ester.
- 5. (Currently Amended) A process as claimed in claim 1, wherein the salt used of a didivalent metal or a polyvalent metal comprises a calcium salt or an aluminum salt.
- 6. (Original) A process as claimed in claim 5, wherein use is made of an aluminum salt.
- 7. (Original) A process as claimed in claim 6, wherein the amount of aluminum salt used is from 0.05 to 30 mmol per liter of the aqueous alkaline phase.
- 8. (Previously presented) A process as claimed in claim 2, wherein the esterification catalyst used comprises a compound of titanium.

Application No. 10/523,284

Docket No.: 12810-00017-US

- 9. (Previously presented) A process as claimed in claim 8, wherein, prior to the gravitational phase separation, the crude ester has a content of from 0.1 to 5% by weight of monosalt of dicarboxylic half-ester.
- 10. (Currently Amended) A process as claimed in claim 9, wherein the salt used of a didivalent metal or a polyvalent metal comprises a calcium salt or an aluminum salt.
- 11. (Previously presented) A process as claimed in claim 10, wherein use is made of an aluminum salt.
- 12. (Previously presented) A process as claimed in claim 11, wherein the amount of aluminum salt used is from 0.05 to 30 mmol per liter of the aqueous alkaline phase.
- 13. (Currently Amended) A process as claimed in claim 11, wherein said dicarboxylic acid is with C₈ C₁₁ alcoholo the crude plasticizer ester is obtained by reacting a dicarboxylic acid with a C₈-C₁₁ alcohol.
- 14. (Previously presented) A process as claimed in claim 1, wherein the esterification catalyst used comprises titanium alkoxylates.
- 15. (Previously presented) A process as claimed in claim 1, wherein the esterification catalyst is Ti(O-ethyl)₄, Ti(O-isopropyl)₄ or Ti(O-isobutyl)₄.